

CLICK HERE TO JUMP TO USE DIRECTIONS

875 Brushkiller

GORDON'S
AGRICULTURAL PRODUCTS

Controls Ash, Birch, Brambles, Kudzu,
Multiflora Rose, Willow and other species
of brush and broadleaf weeds.



KEEP FROM FREEZING

ACTIVE INGREDIENTS:

Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid	12.55%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	23.45%
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)	4.24%
INERT INGREDIENTS:	59.76%
TOTAL	100.00%

This product contains:

0.96 lb. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 10.37%.
 1.81 lbs. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 19.49%.
 0.32 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 3.52%.
 Isomer Specific by AOAC Methods.
 Contains single isomer form of Mecoprop-p.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN DANGER

See below for additional Precautionary Statements and Statement of Practical Treatment.

875/3-2003 AP090601
EPA REG. NO. 2217-639

Manufactured By

pbi / GORDON CORPORATION
 An Employee-Owned Company
 1217 West 12th Street
 Kansas City, Missouri 64101
www.pbigordon.com



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER: Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed or inhaled. Avoid exposure to spray mist. When mixing, loading, or applying this product, wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and eye protection. It is recommended that safety glasses include front, brow and temple protection. Wear face shield or goggles when mixing, loading or applying this product. For aerial applicators in an enclosed cockpit and applicators applying this product from a tractor that has a completely enclosed cab, eye protection is not required.

Hygiene Requirements: Wash hands, face and arms with soap and water as soon as possible after mixing, loading or applying this product. Wash hands, face and arms with soap and water before eating, smoking or drinking. Wash hands and arms before using toilet. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous days mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower.

Containers over 1 gallon and less than 5 gallons: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

Containers of 5 gallons or more: Do not open-pour product from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a nonrefillable pesticide container are emptied, the probe must be rinsed before removal.

STATEMENT OF PRACTICAL TREATMENT

If In Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

If On Skin: Wash promptly with soap and water. Rinse thoroughly. If irritation develops, get medical attention.

If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air and and apply respiration if indicated.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the wash-water on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCP-p have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCP-p pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit workers to reenter treated area until sprays have dried or dusts have settled.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container in a locked storage area. Keep from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

USE PRECAUTIONS

Do not use this product through any type of irrigation system.

Avoid spray drift to cotton, soybeans, tomatoes, tobacco, grapes, fruit trees, flowers or garden crops, and all other hormone herbicide-sensitive desirable plants. Do not apply near sensitive plants since small quantities of wind-drifted herbicides may cause severe injury.

Do not apply in areas underlaid by roots of desirable trees and shrubs.

Do not apply herbicide when wind speed is sufficient to cause drift. Do not apply herbicide when an air temperature inversion exists. An air inversion may be detected by creating a smoke column and observing a layering effect.

Do not apply when temperatures exceed 85°F and humidity is high.

To aid in avoiding spray drift, use coarse sprays and low pressure. Do not use nozzles which produce fine spray droplets under high pressure. The use of thickening agents or antidrift additives and drift-reducing equipment may aid in preventing spray drift.

Care should be taken not to make applications where runoff could contaminate bodies of water or spray drift could carry the chemical to food crops or grazing lands where cattle, sheep, goats, swine or poultry would be exposed.

ROADSIDES, DRAINAGE DITCH BANKS, FENCE ROWS, RIGHT-OF-WAYS, FARM BUILDINGS AND OTHER SIMILAR NON-CROPLAND AREAS

To effectively control brush, all leaves, stems and suckers should be thoroughly wet to the ground. Apply Brushkiller 875 when plants come into full leaf (spring) to the time plants begin to go dormant. Best results are obtained when brush and weeds are young and actively growing. Do not cut brush or weeds until the herbicide has translocated throughout the plant causing root death.

HIGH VOLUME LEAF STEM TREATMENTS — Mix $\frac{1}{2}$ to 1 gallon of product per 100 gallons of water and apply 100 to 300 gallons of spray per acre. Dosage rates per acre depend on the density of brush and/or weeds. For small broadleaf weeds use the lower rate. Heavy dense stands of brush require the high rate with high water volume.

For small applications with small tank sprayers, mix 1-1 $\frac{1}{2}$ fluid ounces of product per gallon of water.

LOW VOLUME GROUND or FOLIAR TREATMENTS — Mix $\frac{1}{2}$ to 2 gallons of product in water with spray volumes of 15-25 gallons per acre. Use enough water to ensure uniform wetting of plants.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

©1981, PBI/GORDON CORPORATION.

BRUSH CONTROLLED

Ash	Cottonwood	Multiflora rose
Aspen	Dogwood	Oak
Birch	Elm	Poplar
Blackberry	Gooseberry	Pine
Black cherry	Honey locust	Spruce
Black locust	Honeysuckle	Sycamore
Brambles	Kudzu	Wild plum
Buckbrush	Maple	Willow
Cedar		

WEEDS CONTROLLED

Bedstraw	Kochia	Ragweed
Bindweed	Knotweed	Sheep sorrel
Black medic	Lambsquarters	Shepherdspurse
Buckhorn	Lespedeza	Smartweed
Burdock	Mallow	Speedwell
Chicory	Morningglory	Spurge
Chickweed	Mustard	Sunflower
Clover	Nettle	Thistles
Cocklebur	Peppergrass	Velvetleaf
Dandelion	Pigweed	Wild carrot
Dock	Plantains	Wild garlic
Ground ivy	Poison ivy	Wild lettuce
Heal-all	Poison oak	Wild onion
Henbit	Purslane	Yarrow
Jimsonweed		