

# Fastrac™ MOUSE SEED

## New Bromethalin Bait from Bell

FASTRAC Mouse Seed is a new Bromethalin formulation for the control of mice, the No.1 rodent pest in the U.S. Mice have preference for seeds and the smaller pieces can be held easier in their paws.

FASTRAC Mouse Seed is Bell's fastest-acting acute rodenticide. It kills mice in one to two days, even in hours in some cases. Once a mouse eats a lethal dose, it stops feeding. This allows FASTRAC Mouse Seed to control more mice with less bait.

A non-anticoagulant bait, FASTRAC Mouse Seed is powerful and has no tolerance or resistance. There is no bait shyness associated with FASTRAC.

Bell Laboratories uses only the purest, most consistent Bromethalin in its FASTRAC baits. The active is synthesized in-house by Bell scientists. The active ingredient, combined with Bell's tested seed formulation, has produced a mouse bait that achieves superior results.

**Packaging: 60 x 15g place pacs – EPA REG. NO. 12455-100**



## Specimen Label

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children from under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** For control of house mice in and around homes, industrial and agricultural buildings and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into direct contact with food. Do not broadcast bait.

**SELECTION OF TREATMENT AREAS:** Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where rodents or signs of rodents have been observed. Protect bait from rain and snow. Remove as much alternative food as possible.

### APPLICATION DIRECTIONS:

**House Mice:** Apply 1 place pac per placement. Space placements at intervals of 8-12 feet in infested areas. Two place pacs may be used at points of extremely high mouse activity.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

## Fastrac™ MOUSE SEED PLACE PACS Kills House Mice

House mice may consume a lethal dose in a single feeding, with first dead mice appearing one to two days after bait consumption. Mice cease feeding after consuming a toxic dose in a single night's feeding. FASTRAC™ Mouse Seed Place Pac kills anticoagulant-resistant house mice.

### ACTIVE INGREDIENT:

Bromethalin: N-methyl-2,4-dinitro-N-(2,4,6-tribromophenyl)-6-(trifluoromethyl) benzeneamine . . . 0.01%

INERT INGREDIENTS\* . . . . . 99.99%

\*Contains Denatonium Benzoate . . . . . TOTAL 100.00%

### KEEP OUT OF REACH OF CHILDREN CAUTION

**FIRST AID:** Have label with you when obtaining treatment advice.

#### If swallowed:

- Call a Poison Control Center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the Poison Control Center or doctor.

#### If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water.
- Call a Poison Control Center, doctor, or 1-877-854-2494 immediately for treatment advice.

### NOTE TO PHYSICIAN OR VETERINARIAN

FASTRAC™ Mouse Seed Place Pac is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

Manufactured by:



**Bell Laboratories, Inc.**  
Madison, WI 53704 U.S.A.

EPA EST. NO. 12455-WI-1

EPA REG. NO. 12455-100

### DIRECTIONS FOR USE (continued from other panel) APPLICATION DIRECTIONS (continued from other panel)

**BAITING STRATEGY:** Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased. Collect and properly dispose of all dead animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash thoroughly with soap and water after handling.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not reuse empty container. Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of empty container in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.