

Bayer
ADVANCED
LAWN
Season-Long
Grub Control

Bayer 

ADVANCED LAWN[®]

TREATS
UP TO
5,000
SQ FT

Season-Long **Grub Control**

READY-TO-SPREAD GRANULES

- ▶ **One application kills grubs all season long**
- ▶ Apply anytime spring through late summer
- ▶ For use on lawns, ground covers & flower beds
- ▶ Also kills European crane fly larvae and mole crickets



Active Ingredient:
Imidacloprid 0.2%
Other Ingredients 99.8%

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for additional ingredients
and precautionary statements



NET WT 14.35 LBS (6.51kg)

Bayer
ADVANCED
LAWN[®]

Season-Long **Grub Control**

READY-TO-SPREAD GRANULES

Season-Long
Grub Control
Bayer
ADVANCED
LAWN[®]



Season-Long Grub Control

Bayer Advanced Lawn® Season-Long Grub Control kills grubs all season long with a single application. Keeping your lawn free of damaging grubs has never been easier.

READY-TO-SPREAD GRANULES

READ THE LABEL FIRST!

QUICK FACTS

- One Application Kills White Grubs and European Crane Fly Larvae All Season Long
- Kills White Grubs and European Crane Fly Larvae Before They Damage Lawns
- Easy-to-Use Granules

KILLS	White Grubs (including larvae of Asiatic Garden Beetle, Black Turfgrass Ataenius, Chafer, Japanese Beetle, May or June Beetle, and Oriental Beetle), Mole Crickets and European Crane Fly Larvae
COVERAGE	This bag covers up to 5,000 sq. ft. (3,775 sq. ft. for Mole Crickets)
WHERE TO USE	Lawns, Flower Beds, Ground Covers, and around Trees & Shrubs
WHEN TO USE	May through mid-August
HOW MUCH TO USE	See spreader settings
 	For questions or comments, call toll-free at 1-877-BayerAL (1-877-229-3725) or visit us on-line at www.BayerAdvanced.com



INGREDIENTS FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:		
Imidacloprid	0.2%
OTHER INGREDIENTS*	99.8%
*Other ingredients include: Corn cob granules and dipropylene glycol (to adhere the active ingredient on the granules).		100.0%

EPA Reg. No. 3125-508-72155
 EPA Est. No. indicated by 2nd and 3rd digits of the batch number on this package.
 (77) = 070989-MO-001 (46) = 5905-IA-01 (79) = 5905-GA-01 (76) = 34704-NB-001

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, be sure to read and follow all label directions.

BEFORE YOU USE Read and follow these directions when using:	<ul style="list-style-type: none"> • Do not apply near fish pools, ponds, streams or lakes. • Do not use in vegetable gardens.
---	--

HOW TO USE

TO CONTROL	WHEN TO APPLY
GRUBS	Apply once anytime from May through mid-August.
EUROPEAN CRANE FLY LARVAE	Apply once, when these insects are present in large numbers.
MOLE CRICKETS	Apply once anytime from mid-May through mid-June. Florida residents: Apply once anytime from early April through early May.

For best results, apply Season-Long Grub Control before grubs, mole crickets or European crane fly larvae hatch. Contact your County Extension Agent for the ideal dates to apply in your area.

LAWNS	<p>How Much: See Spreader Settings</p> <p>Adjust spreader to the proper setting (see Spreader Settings).</p> <p>To be sure you cover the entire area uniformly, first treat the border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules.</p> <p>Water thoroughly after applying.</p>  
FLOWER BEDS, GROUND COVERS, TREES & SHRUBS	<p>How Much: 2 Tablespoons per 10 sq. ft. of planting bed. 1-1/4 cups per 100 sq. ft. of planting bed.</p> <p>Spread granules evenly to the soil over flower beds, ground cover plantings, shrub beds and under trees.</p> <p>TIP: A hand-held spreader makes this easy.</p> <p>Rake granules into the soil around plants.</p> <p>Water thoroughly after applying.</p>   
	Children and pets may re-enter after the treated area has been watered and allowed to dry.
FOR BEST RESULTS	<ul style="list-style-type: none"> • Apply early, before grubs, mole crickets and European crane fly larvae hatch. • Water thoroughly within 24 hours after applying. • Do not mow until the granules are watered into the soil. • Avoid applying Season-Long Grub Control to waterlogged areas, as this may decrease the product's effectiveness. • You may spread Season-Long Grub Control over soil or mulch. If present, remove weed barrier before applying.

SIGNS OF DAMAGE TO LAWNS

GRUBS	<p>White grubs cause extensive damage to lawns by feeding on grass roots. Grass turns yellow, then brown and dies. Grubs chew off roots so that the grass is easily pulled up in pieces with your hands. You can roll it back like a carpet to reveal the grubs. If patches of dead grass appeared in your lawn late last summer, check for grubs.</p> 
EUROPEAN CRANE FLY LARVAE	European crane fly larvae often cause damage by feeding on grass roots and disrupting the soil surface.
MOLE CRICKETS	Mole crickets often cause extensive damage by tunneling through lawns. Some species also feed on roots. Tunneling uproots the grass so it easily dries out. Lawns turn yellow, become thin, weedy and can eventually die.
HOW SEASON LONG GRUB CONTROL WORKS	After Season-Long Grub Control granules are watered in, a protective zone is formed in the soil. If applied early, Season-Long Grub Control kills grubs, mole crickets and European crane fly larvae when they hatch . . . before they can cause damage.

Spreader Settings

If your spreader is not listed, please call our Consumer Service Hotline at 1-877-BayerAL (1-877-229-3725) for help. Rate for Grubs and European Crane Fly Larvae: 2.87 lbs. per 1,000 sq. ft. Rate for Mole Crickets: 3.8 lbs. per 1,000 sq. ft.

SPREADER SETTINGS			
Broadcast Spreaders	2.87 lb. Rate	3.8 lb. Rate	Distance Between
Model	Setting	Setting	Passes (Ft.)
CYCLONE ROTARY	4.5	4.75	4.0
EARTHWAY ROTARY	11	12	2.5
EV-N-SPRED	11	12	2.5
K-GRO ROTARY	2.0	2.5	6.0
ORTHO ROTARY	2.0	2.5	6.0
PRECISION ROTARY (#SB50)	4.0	5.0	2.5
RED DEVIL ROTARY	4.0	5.0	2.5
REPUBLIC EZ ROTARY (#540)	2.0	2.5	6.0
SCOTT'S EASYGREEN (#EG-3)	27	28	2.5
SCOTT'S SPEEDYGREEN 1000	2.0	3.0	3.0
SCOTT'S SPEEDYGREEN 2000	6.5	7.0	5.0
SCOTT'S SPEEDYGREEN 3000	6.5	7.0	5.0
SEARS ROTARY	2.0	2.5	6.0
TRUE TEMPER ROTARY	4.5	4.75	4.0
VIGORO ROTARY	4.0	5.0	2.5
Drop Spreaders	2.87 lb. Rate		3.8 lb. Rate
Model	Setting	Setting	Passes (Ft.)
K-GRO DROP	8.5	9.5	N/A
ORTHO DROP	8.5	9.5	N/A
PRECISION DROP (#FH22G)	1.5	1.75	N/A
RED DEVIL DROP	1.5	1.75	N/A
REPUBLIC EZ DROP (#530)	8.5	9.5	N/A
SCOTT'S ACCUGREEN 1000	7.75	8.75	N/A
SCOTT'S ACCUGREEN 2000	7.75	8.75	N/A
SCOTT'S ACCUGREEN 3000	6.5	7.25	N/A
SCOTT'S DROP (#PF1, PF2, PF3, PF4)	6.5	7.0	N/A
SEARS DROP	8.5	9.5	N/A
STA-GREEN DROP	7.5	8.0	N/A
VIGORO DROP	1.5	1.75	N/A

*Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions. TIP: 1000 sq. ft. = 20 ft. x 50 ft. Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

IMPORTANT - Directions for Storage and Disposal

STORAGE CONDITIONS	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
DISPOSAL	<ul style="list-style-type: none"> • Do not reuse this bag. • Place in trash
Important: It is best to use all of this product in accordance with label directions. If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals	
CAUTION	<ul style="list-style-type: none"> • Harmful if swallowed or absorbed through skin. • Causes eye irritation. • Avoid contact with skin, eyes, or clothing. • Wash thoroughly with soap and water after handling.

FIRST AID +

IN THE CASE OF ACCIDENTAL . . .	IMMEDIATELY . . .
SWALLOWING	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
CONTACT WITH EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel.
 For medical emergency information, you may call toll-free 1-877-229-3763. Active Ingredient: 0.2% Imidacloprid [CAS # 138261-41-3]

ENVIRONMENTAL HAZARDS

- This pesticide is highly toxic to aquatic invertebrates.
 - Do not apply directly to water.
 - Do not contaminate water when cleaning equipment or disposing of equipment washwater.
- NOTICE:** Research and testing have determined that the "Directions for Use" are appropriate for the proper use of Season-Long Grub Control under expected conditions. The Buyer assumes responsibility for lack of performance or safety if the product is not used according to the directions on this label.
Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

©2001 Bayer Advanced LLC
 Made in USA
 Distributed by:
 Bayer Advanced LLC
 1500 Urban Center Drive
 Birmingham, AL 35242
 Bayer and  are registered trademarks of Bayer AG
 Advanced Lawn® is a registered trademark of Bayer Corporation
 Merit® is a registered trademark of Bayer AG



905982 R.3

